

# Central line train graphics standard

Issue 5

1992 Tube stock

# Contents

Foreword

1 Basic elements

2 Car interior notices

3 Car exterior notices

Further information

## Foreword

This document details all interior and exterior notices that are to be applied to the London Underground Central line fleet (92 Tube stock). Locations for the notices are also provided.

Approved artwork for each notice shown is available from the TfL Graphics team ([corporatedesign@tfl.gov.uk](mailto:corporatedesign@tfl.gov.uk)). No other artwork is to be used.

### **Note**

This document does not detail any driver cab notices.

Any changes to this document that affect the labelling on the vehicles will require a Change to Rolling Stock (CRS) to be raised, unless stated otherwise.

For further information, see S2I80 Standard for Rolling Stock, section A3.4.1, guidance document G1100 and forms F5715 and F5716 f, and contact the Head of Rolling Stock Document Review ([SMBHoRSDocumentRevie@tfl.gov.uk](mailto:SMBHoRSDocumentRevie@tfl.gov.uk)).

# I Basic elements

This section outlines the basic elements that are used to produce graphic notices for the London Underground fleet. This includes the use of the corporate typeface and colours.

For further information, see the design standards at [tfl.gov.uk/corporatedesign](https://tfl.gov.uk/corporatedesign)

## 1.1 Typography

Our typeface is Johnston, which should be set in mixed upper and lower case.

New Johnston (NJ Font) Medium is the only typeface that should be used for train notices unless it is specifically stated otherwise.

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**  
**abcdefghijklmnopqrstuvwxyz**  
**1234567890£/.,“()::;**  
**New Johnston Medium**

## 1.2 Colours

These colours should be used on the London Underground fleet to produce graphic notices.

The Pantone Matching System is to be used for print purposes.

**Corporate Blue**

Pantone 072

**Safety Red**

Pantone 485

**Black**

Black 100%

**Safety Yellow**

Pantone 116

**Safety Green**

Pantone 356

**Safety Blue**

Pantone 300

## 2 Car interior notices

The following pages illustrate the graphic notices that are to be applied to the Central line car interiors (92 Tube stock).

## 2.1 Priority seat

### Artwork reference

LUTV\_INT\_00002

### Size

100 x 140mm

### Position reference

A

### Colours

- Safety Blue (Pantone 300)

### Material type

Interior permanent

### Part number

TBA





## 2.2 Obstructing doors/penalty fares (amount not shown)

### Artwork reference

LUTV\_INT\_00004

### Size

500 x 50mm

### Position reference

B

### Colours

- Corporate Blue (Pantone 072)
- Safety Yellow (Pantone 116)
- Black 100 per cent

### Material type

Interior permanent

### Part number

00205/8627



**Obstructing the doors  
can be dangerous**

**Penalty fare or prosecution**

if you fail to show on demand a ticket, validated smartcard  
or other travel authority valid for the whole of your journey

## 2.3 Items trapped in doors

### Artwork reference

LUTV\_INT\_00038

### Size

74 x 265mm

### Position reference

C

### Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

### Material type

Interior permanent

### Part number

TBA



## 2.4 Penalty fare/lower window

### Artwork reference

LUTV\_INT\_00029

### Size

225 x 87mm

### Position reference

D

### Colours


- Corporate Blue (Pantone 072)

### Material type

Exterior front fixing semi-permanent

### Part number

00205/8629



## 2.5 Penalty fare (J door)

### Artwork reference

LUTV\_INT\_00028

### Size

225 x 50mm

### Position reference

E

### Colours

- Corporate Blue (Pantone 072)

### Material type

Interior semi-permanent

### Part number

00205/8628

**£100 penalty fare or prosecution**

if you fail to show on demand a ticket, validated smartcard  
or other travel authority valid for the whole of your journey

## 2.6 Alarm located opposite

**Artwork reference**

LUTV\_INT\_00040

**Size**

56 x 110mm

**Position reference**

F

**Colours**

- Safety Red (Pantone 485)

**Material type**

Interior permanent

**Part number**

TBA



## 2.7 Alarm instructions (pull handle)

**Artwork reference**  
LUTV\_INT\_00047

**Size**  
100 x 140mm

**Position reference**  
G

**Colours**  
• Safety Red (Pantone 485)

**Material type**  
Interior permanent

**Part number**  
TBA



## 2.8 Alarm cover (pull handle)

**Artwork reference**

LUTV\_INT\_0005I

**Size**

100 x 50mm

**Position reference**

H

**Colours**

- Safety Red (Pantone 485)

**Material type**

Interior permanent

**Part number**

TBA



## 2.9 Alarm instructions (push button - RVAR)

**Artwork reference**  
LUTV\_INT\_00048C

**Size**  
100 x 152mm

**Position reference**  
J

**Colours**  
• Safety Red (Pantone 485)

**Material type**  
Interior permanent

**Part number**  
TBA

**Note**  
This is a double-sided sign with black on the outward facing side.



Front



Rear



## 2.10 Alarm cover (push button - RVAR)

**Artwork reference**

LUTV\_INT\_00052C

**Size**

78 x 39mm

**Position reference**

K

**Colours**

- Safety Red (Pantone 485)

**Material type**

Interior permanent

**Part number**

TBA



## 2.11 Emergency access combined

**Artwork reference**  
LUTV\_INT\_00033

**Size**  
225 x 164mm

**Position reference**  
L

**Colours**

- Safety Red (Pantone 485)
- Black 100 per cent

**Material type**  
Interior permanent

**Part number**  
TBA



## 2.12 Risk of death/emergency access

### Artwork reference

LUTV\_INT\_00030

### Size

70 x 275mm

### Position reference

M

### Colours

- Safety Red (Pantone 485)
- Safety Yellow (Pantone 116)
- Black 100 per cent

### Material type

Interior permanent

### Part number

TBA



## 2.13 Priority area - wheelchair (partition board)

**Artwork reference**

LUTV\_INT\_00055

**Size**

120 x 220mm

**Position reference**

N

**Colours**

- Safety Blue (Pantone 300)

**Material type**

Interior permanent - double sided

**Part number**

TBA



## 2.14 Priority area - wheelchair

**Artwork reference**

LUTV\_INT\_00054

**Size**

120 x 203mm

**Position reference**

○

**Colours**

- Safety Blue (Pantone 300)

**Material type**

Interior permanent

**Part number**

TBA



## 2.15 Unattended bags

### Artwork reference

LUTV\_INT\_0004I

### Size

195 x 50mm

### Position reference

P

### Colours

- Corporate Blue (Pantone 072)

### Material type

Interior permanent - double sided

### Part number

TBA

### Note

This is a double-sided sign with the same artwork on both sides.



Front



Rear

## 2.16 No smoking

### Artwork reference

LUTV\_INT\_00039C

### Size

134 x 150mm

### Position reference

Q

### Colours

- Safety Red (Pantone 485)
- Black 100 per cent

### Material type

Interior permanent

### Part number

00212/1742

### Note

This notice does not have rounded corners as it sits in the line diagram panel.



## 2.17 No alcohol

### Artwork reference

LUTV\_INT\_0008IC

### Size

134 x 150mm

### Position reference

R

### Colours

- Safety Red (Pantone 485)
- Black 100 per cent

### Material type

Interior permanent

### Part number

00212/1753

### Note

This notice does not have rounded corners as it sits in the line diagram panel.





## 2.18 CCTV cameras

### Artwork reference

LUTV\_INT\_00034C

### Size

275 x 150mm

### Position reference

S

### Colours

- Corporate Blue (Pantone 072)

### Material type

Interior permanent

### Part number

TBA

### Note

This notice does not have rounded corners as it sits in the line diagram panel.



## 2.19 In an emergency

### Artwork reference

LUTV\_INT\_00035C

### Size

275 x 150mm

### Position reference

T

### Colours

- Safety Blue (Pantone 300)

### Material type

Interior permanent

### Part number

TBA

### Note

This notice does not have rounded corners as it sits in the line diagram panel.



## 2.20 Unwell customers

### Artwork reference

LUTV\_INT\_00079C

### Size

230 x 150mm

### Position reference

U

### Colours

- Safety Blue (Pantone 300)

### Material type

Interior permanent

### Part number

TBA

### Note

This notice does not have rounded corners as it sits in the line diagram panel.



## 2.21 Car line diagram (large)

Artwork reference  
LUTV\_INT\_00036C-L


Size  
1420 x 150mm

Position reference  
V

Colours  
• CMYK

Material type  
Interior semi-permanent (special)

Part number  
TBA



### Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

## 2.22 Car line diagram (small)

**Artwork reference**  
LUTV\_INT\_00036C-S


**Material type**  
Interior semi-permanent (special)

**Size**  
1262 x 150mm

**Part number**  
TBA

**Position reference**  
W

**Colours**  
• CMYK



### Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

# 2.23 Central London Tube map

Artwork reference  
LUTV\_INT\_00037C


Material type  
Interior semi-permanent (special)

Size  
570 x 150mm

Part number  
TBA

Position reference  
X

Colours  
• CMYK



Example only  
Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

## 2.24 Customer contact

### Artwork reference

LUTV\_INT\_00080C

### Size

356 x 150mm

### Position reference

Y

### Colours

- Corporate Blue (Pantone 072)

### Material type

Interior semi-permanent

### Part number

TBA

### Note

This notice does not have rounded corners as it sits in the line diagram panel.

**We'd like to hear from you**

We value your feedback, suggestions and complaints which help to improve our service:

Web: [tfl.gov.uk](http://tfl.gov.uk)  
Phone: 0343 222 1234\*

To take your comments further, please contact London TravelWatch, the independent statutory watchdog for transport users in and around London.

Web: [www.londontravelwatch.org.uk](http://www.londontravelwatch.org.uk)  
Phone: 020 3176 2999

 Check your travel  
[tfl.gov.uk/travel-tools](http://tfl.gov.uk/travel-tools)

 24-hour travel information  
0343 222 1234\*

\*Network charges may apply. See [tfl.gov.uk/terms](http://tfl.gov.uk/terms) for details.

**Reporting a crime**

We want everyone travelling on our network to feel safe. If you experience or witness a crime, feel threatened by another customer, or see something that doesn't feel right, text BTP on 61016 or call 0800 40 50 40. In an emergency call 999 or use the passenger alarm.

**Staff assaults**

Any form of violence, aggression, verbal or racial abuse against our staff is unacceptable.

We will always press for the strongest penalties for anyone who assaults our staff.

### Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

## 2.25 Car reference numbers (blue)

### Artwork reference

LUTV\_INT\_00043

### Size

30mm Cap height  
(128pt NJ Font Medium)

### Position reference

Z

### Colours

- Corporate Blue (Pantone 072)

### Material type

Interior permanent

### Part number

TBA

A large, bold, blue car reference number '51501' is displayed in a sans-serif font. The digits are evenly spaced and have a consistent height and weight.

### Example only

Notice shown is for illustrative purposes only.



## 2.26 Please use the grab handle

**Artwork reference**  
LUTV\_INT\_00082C

**Size**  
130 x 65mm

**Position reference**  
A2

**Colours**  
• Safety Blue (Pantone 300)

**Material type**  
Interior permanent

**Part number**  
TBA



## 2.27 Door reference letters (blue)

### Artwork reference

LUTV\_INT\_00042

### Size

16mm Cap height  
(70pt NJ Font Medium)

### Position reference

In appropriate location on train interior.  
(20mm down from top door frame  
panel, 20mm in from door frame panel)

### Colours


- Corporate Blue (Pantone 072)

### Material type

Interior permanent

### Part number

TBA



### Example only

Notice shown is for illustrative purposes only.

## 2.28 Cant rail labels

**Artwork reference**  
LUTV\_INT\_00045C

**Size**  
16mm Cap height  
(70pt NJ Font Medium)

**Position reference**  
In appropriate location on train interior.

**Colours**  
• Corporate Blue (Pantone 072)

**Material type**  
Interior permanent

**Part number**  
TBA

CSIC

CSLC

DIC

DML

EPBIC

**Example only**  
Notice shown is for illustrative purposes only.

## 2.29 Ventilator

**Artwork reference**  
LUTV\_INT\_00046C

**Size**  
8mm Cap height  
(34pt NJ Font Medium)

**Position reference**  
In appropriate location on train interior.


**Colours**  
• Corporate Blue (Pantone 072)

**Material type**  
Interior permanent

**Part number**  
TBA

**Ventilator + -**


2.30 Position of interior notices - car A - driver's DM car (side elevation)



## 2.30.1

- A Priority seat**  
LUTV\_INT\_00002  
Vertically - centred on panel above priority seat.  
Horizontally - bottom of notice 360mm from bottom of window.
- B Obstructing doors/Penalty fares**  
LUTV\_INT\_00004  
Vertically - centred above door window.  
Horizontally - 20mm above door window.
- C Items trapped in doors**  
LUTV\_INT\_00038  
Vertically - centred on opening side of door panel.  
Horizontally - 90mm below top of window.
- F Alarm located opposite**  
LUTV\_INT\_00040  
Vertically - centred on panel to left of door.  
Horizontally - 100mm below line diagram panel.
- G Alarm instructions (pull handle)**  
LUTV\_INT\_00047  
Vertically - centred above alarm.  
Horizontally - 20mm above alarm.
- H Alarm cover (pull handle)**  
LUTV\_INT\_00051  
Vertically - centred on flat panel of alarm.  
Horizontally - centred on flat panel of alarm.
- Q No smoking**  
LUTV\_INT\_00039C  
Placed as shown on car line diagram panel.
- R No alcohol**  
LUTV\_INT\_00081C  
Placed as shown on car line diagram panel.
- S CCTV cameras**  
LUTV\_INT\_00034C  
Placed as shown on car line diagram panel.
- T In an emergency**  
LUTV\_INT\_00035C  
Placed as shown on car line diagram panel.
- U Unwell customers**  
LUTV\_INT\_00079C  
Placed as shown on car line diagram panel.
- V Car line diagram (large)**  
LUTV\_INT\_00036C-L  
Placed as shown on car line diagram panel.
- W Car line diagram (small)**  
LUTV\_INT\_00036C-S  
Placed as shown on car line diagram panel.
- X Central London Tube map**  
LUTV\_INT\_00037C  
Placed as shown on car line diagram panel.
- X Central London Tube map**  
LUTV\_INT\_00037C  
Placed as shown on car line diagram panel.
- Y Customer contact notice**  
LUTV\_INT\_00080C  
Placed as shown on car line diagram panel.

### 2.31 Position of interior notices - cars B and C - standard NDM cars (side elevation)




## 2.31.1

- A Priority seat**  
LUTV\_INT\_00002  
Vertically - centred on panel above priority seat.  
Horizontally - bottom of notice 360mm from bottom of window.
- B Obstructing doors/Penalty fares**  
LUTV\_INT\_00004  
Vertically - centred above door window.  
Horizontally - 20mm above door window.
- C Items trapped in doors**  
LUTV\_INT\_00038  
Vertically - centred on opening side of door panel.  
Horizontally - 90mm below top of window.
- F Alarm located opposite**  
LUTV\_INT\_00040  
Vertically - centred on panel to left of door.  
Horizontally - 100mm below line diagram panel.
- G Alarm instructions (pull handle)**  
LUTV\_INT\_00047  
Vertically - centred above alarm.  
Horizontally - 20mm above alarm.
- H Alarm cover (pull handle)**  
LUTV\_INT\_00051  
Vertically - centred on flat panel of alarm.  
Horizontally - centred on flat panel of alarm.
- Q No smoking**  
LUTV\_INT\_00039C  
Placed as shown on car line diagram panel.
- R No alcohol**  
LUTV\_INT\_00081C  
Placed as shown on car line diagram panel.
- S CCTV cameras**  
LUTV\_INT\_00034C  
Placed as shown on car line diagram panel.
- T In an emergency**  
LUTV\_INT\_00035C  
Placed as shown on car line diagram panel.
- U Unwell customers**  
LUTV\_INT\_00079C  
Placed as shown on car line diagram panel.
- V Car line diagram (large)**  
LUTV\_INT\_00036C-L  
Placed as shown on car line diagram panel.
- W Car line diagram (small)**  
LUTV\_INT\_00036C-S  
Placed as shown on car line diagram panel.
- X Central London Tube map**  
LUTV\_INT\_00037C  
Placed as shown on car line diagram panel.
- Y Customer contact notice**  
LUTV\_INT\_00080C  
Placed as shown on car line diagram panel.



2.32 Position of interior notices - car B - accessible NDM car (side elevation)



## 2.32.1

- A Priority seat**  
LUTV\_INT\_00002  
Vertically - centred on panel above priority seat.  
Horizontally - bottom of notice 360mm from bottom of window.
- B Obstructing doors/Penalty fares**  
LUTV\_INT\_00004  
Vertically - centred above door window.  
Horizontally - 20mm above door window.
- C Items trapped in doors**  
LUTV\_INT\_00038  
Vertically - centred on opening side of door panel.  
Horizontally - 90mm below top of window.
- F Alarm located opposite**  
LUTV\_INT\_00040  
Vertically - centred on panel to left of door.  
Horizontally - 100mm below line diagram panel.
- G Alarm instructions (pull handle)**  
LUTV\_INT\_00047  
Vertically - centred above alarm.  
Horizontally - 20mm above alarm.
- H Alarm cover (pull handle)**  
LUTV\_INT\_00051  
Vertically - centred on flat panel of alarm.  
Horizontally - centred on flat panel of alarm.
- J Alarm instructions (push button - RVAR)**  
LUTV\_INT\_00048C  
Vertically - on window, centred above alarm housing.  
Horizontally - on window, 20mm above alarm housing.
- K Alarm cover (push button - RVAR)**  
LUTV\_INT\_00052C  
Vertically - centred on top flap section of alarm housing.  
Horizontally - centred on top flap section of alarm housing on window.
- O Priority area - wheelchairs**  
LUTV\_INT\_00054  
Vertically - centred on panel above seat.  
Horizontally - bottom of notice 360mm from bottom of window.
- Q No smoking**  
LUTV\_INT\_00039C  
Placed as shown on car line diagram panel.
- R No alcohol**  
LUTV\_INT\_00081C  
Placed as shown on car line diagram panel.
- S CCTV cameras**  
LUTV\_INT\_00034C  
Placed as shown on car line diagram panel.
- T In an emergency**  
LUTV\_INT\_00035C  
Placed as shown on car line diagram panel.

## 2.32.2

### **U Unwell customers**

LUTV\_INT\_00079C

Placed as shown on car line diagram panel.

### **V Car line diagram (large)**

LUTV\_INT\_00036C-L

Placed as shown on car line diagram panel.

### **W Car line diagram (small)**

LUTV\_INT\_00036C-S

Placed as shown on car line diagram panel.

### **X Central London Tube map**

LUTV\_INT\_00037C


Placed as shown on car line diagram panel.

### **Y Customer contact notice**

LUTV\_INT\_00080C

Placed as shown on car line diagram panel.

## 2.33 Position of interior notices - all cars (front elevations)



### D Penalty fare/Lower window

LUTV\_INT\_00029

Vertically - centred on windows of interconnecting doors.  
Horizontally - 100mm below top of window.

### E Penalty fare (J door)

LUTV\_INT\_00028

Vertically - centred on J door.  
Horizontally - 20mm below emergency access notice.

### L Emergency access combined notice

LUTV\_INT\_00033

Vertically - centred on J door.  
Horizontally - 100mm below top of door.

### M Risk of death/Emergency access

LUTV\_INT\_00030

Vertically - centred on left hand door panel.  
Horizontally - aligned with top of window.

### N Priority area (partition board)

LUTV\_INT\_00054C

Vertically - 50mm from panel edge.  
Horizontally - 50mm from top of panel.

### P Unattended bags

LUTV\_INT\_00041

Vertically - centred on all glass screens except in wheelchair bay area.  
Horizontally - in line with priority seat notice (220mm below advertisement panel area).

### Z Car reference number (blue)

LUTV\_INT\_00043

Vertically - centred above door.  
Horizontally - 50mm above door.

### A2 Please use the grab handle

LUTV\_INT\_00082C

Vertically - centred on lower flat panel.  
Horizontally - centred on lower flat panel.

### **3 Car exterior notices**

The following pages illustrate the graphic notices that are to be applied to the Central line car exteriors (92 Tube stock).

### 3.1 Roundel

**Artwork reference**  
LUTV\_EXT\_00001

**Size**  
440mm width

**Position reference**  
A

**Colours**

- Corporate Red (Pantone 485)
- Corporate Blue (Pantone 072)

**Material type**  
Exterior permanent

**Part number**  
TBA



## 3.2 Obstructing doors/shark teeth (left)

**Artwork reference**  
LUTV\_EXT\_00047A

**Size**  
70 x 606mm

**Position reference**  
B

**Colours**

- Safety Yellow (Pantone 116)
- Black 100 per cent

**Material type**  
Exterior permanent

**Part number**  
00207/8662



### 3.3 Obstructing doors/shark teeth (right)

**Artwork reference**  
LUTV\_EXT\_00047B

**Size**  
70 x 606mm

**Position reference**  
C

**Colours**

- Safety Yellow (Pantone 116)
- Black 100 per cent

**Material type**  
Exterior permanent

**Part number**  
00207/8484





### 3.4 Obstructing doors (right)

**Artwork reference**  
LUTV\_EXT\_00047CI


**Size**  
70 x 200mm

**Position reference**  
D

- Colours**
- Safety Yellow (Pantone 116)
  - Black 100 per cent

**Material type**  
Exterior permanent

**Part number**  
TBA



### 3.5 Shark teeth (right)

**Artwork reference**  
LUTV\_EXT\_00047C2

**Size**  
70 x 330mm


**Position reference**  
E

**Colours**

- Safety Yellow (Pantone 116)
- Black 100 per cent

**Material type**  
Exterior permanent

**Part number**  
TBA



## 3.6 Wheelchair entry

**Artwork reference**

LUTV\_EXT\_00003

**Size**

130 x 150mm

**Position reference**

F

**Colours**

- Safety Blue (Pantone 300)

**Material type**

Exterior permanent

**Part number**

TBA



## 3.7 Car reference numbers

### Artwork reference

LUTV\_EXT\_00004

### Size

80mm cap height  
(342pt NJ Font Medium)

### Position reference

G

### Colours

- Corporate Blue (Pantone 072)

### Material type

Exterior permanent

### Part number

TBA

A large, bold, blue car reference number '11080' is displayed. The first two '1's are significantly narrower than the '0's and '8'. The '0's and '8' are rounded and have a consistent thickness. The entire number is rendered in a solid blue color.

### Example only

Notice shown is for illustrative purposes only.

### 3.8 Door reference letters

**Artwork reference**

LUTV\_EXT\_00005

**Size**

17mm  
(70pt NJ Font Medium)

**Position reference**

In appropriate location on train door  
(20mm down from top of door, 20mm in  
from door edge).

**Colours**

- White  
(Red shown is for illustrative  
purposes only)

**Material type**

Exterior permanent

**Part number**

TBA



**Example only**

Notice shown is for illustrative purposes only.

### 3.9 Front of train number

**Artwork reference**

LUTV\_EXT\_00006

**Size**

120mm cap height  
(513pt NJ Font Medium)

**Position reference**

H

**Colours**

- White  
(Red shown is for illustrative purposes only)

**Material type**

Exterior permanent

**Part number**

TBA



**Example only**

Notice shown is for illustrative purposes only.

### 3.10 De-icing circle (white)

**Artwork reference**

LUTV\_EXT\_000IIC

**Size**

90mm diameter

**Position reference**

J

**Colours**


- White  
(Red shown is for illustrative purposes only)

**Material type**

Exterior permanent

**Part number**

TBA



**Example only**

Notice shown is for illustrative purposes only.

## 3.11 Sliding doors

**Artwork reference**

LUTV\_EXT\_00007

**Size**

130 x 52mm

**Position reference**

K

**Colours**

- Safety Yellow (Pantone 116)
- Black 100 per cent

**Material type**

Exterior permanent


**Part number**

TBA





### 3.12 Position of exterior notices - car A - driver's DM car (side elevation)



### 3.12.1

**A Roundel**

LUTV\_EXT\_00001

Vertically - centred with window.  
Horizontally - centred between bottom of window and top of blue band.

**B Obstructing doors/shark teeth (left)**

LUTV\_EXT\_00047A

Vertically - against opening edge of inner panel of left opening car doors.  
Horizontally - top of notice is 780mm from bottom of the door window.

**D Obstructing doors**

LUTV\_EXT\_00047CI

Vertically - against opening edge of inner panel of right side double car doors.  
Horizontally - top of notice sits above the door opening button and aligns with the top of the left-hand side obstructing doors/shark teeth notice.

**E Shark teeth (right)**

LUTV\_EXT\_00047C2

Vertically - against opening edge of inner panel of right side car doors with door opening button.  
Horizontally - bottom of notice sits below the door opening button and aligns with the bottom of the left-hand side obstructing doors/shark teeth notice.

**G Car reference numbers**

LUTV\_EXT\_00004


Vertically - in line with window edge.  
Horizontally - top of text 170mm from bottom of window.

**K Caution - sliding door**

LUTV\_EXT\_00007

Vertically - centred on wide outer panel of car doors.  
Horizontally - top of notice is 780mm from bottom of door window.

### 3.13 Position of exterior notices - cars B and C - standard NDM cars (side elevation)



### 3.13.1

**A Roundel**

LUTV\_EXT\_0000I

Vertically - centred with window.  
Horizontally - centred between bottom of window and top of blue band.

**B Obstructing doors/shark teeth (left)**

LUTV\_EXT\_00047A

Vertically - against opening edge of inner panel of left opening car doors.  
Horizontally - top of notice is 780mm from bottom of the door window.

**C Obstructing doors/shark teeth (right)**

LUTV\_EXT\_00047B

Vertically - against opening edge of inner panel of right opening single door.  
Horizontally - top of notice is 780mm from bottom of the door window.

**D Obstructing doors**

LUTV\_EXT\_00047CI

Vertically - against opening edge of inner panel of right side double car doors.  
Horizontally - top of notice sits above the door opening button and aligns with the top of the left-hand side obstructing doors/shark teeth notice.

**E Shark teeth (right)**

LUTV\_EXT\_00047C2

Vertically - against opening edge of inner panel of right side car doors with door opening button.  
Horizontally - bottom of notice sits below the door opening button and aligns with the bottom of the left-hand side obstructing doors/shark teeth notice.

**G Car reference numbers**

LUTV\_EXT\_00004


Vertically - in line with window edge.  
Horizontally - top of text 170mm from bottom of window.

**K Caution - sliding door**

LUTV\_EXT\_00007

Vertically - centred on wide outer panel of car doors.  
Horizontally - top of notice is 780mm from bottom of door window.

### 3.14 Position of exterior notices - car B accessible version (side elevation)



### 3.14.1

**A Roundel**

LUTV\_EXT\_0000I

Vertically - centred with window.  
Horizontally - centred between bottom of window and top of blue band.

**B Obstructing doors/shark teeth (left)**

LUTV\_EXT\_00047A

Vertically - against opening edge of inner panel of left opening car doors.  
Horizontally - top of notice is 780mm from bottom of the door window.

**C Obstructing doors/shark teeth (right)**

LUTV\_EXT\_00047B

Vertically - against opening edge of inner panel of right opening single door.  
Horizontally - top of notice is 780mm from bottom of the door window.

**D Obstructing doors**

LUTV\_EXT\_00047CI

Vertically - against opening edge of inner panel of right side double car doors.

Horizontally - top of notice sits above the door opening button and aligns with the top of the left-hand side obstructing doors/shark teeth notice.

**E Shark teeth (right)**

LUTV\_EXT\_00047C2

Vertically - against opening edge of inner panel of right side car doors with door opening button.  
Horizontally - bottom of notice sits below the door opening button and aligns with the bottom of the left-hand side obstructing doors/shark teeth notice.

**F Wheelchair entry**

LUTV\_EXT\_00003

Vertically - centred on wide outer panel of car doors.  
Horizontally - bottom of notice aligns with bottom of car body window (210mm from bottom of door window).

**G Car reference numbers**

LUTV\_EXT\_00004


Vertically - in line with window edge.  
Horizontally - top of text 170mm from bottom of window.

**K Caution - sliding door**

LUTV\_EXT\_00007

Vertically - centred on wide outer panel of car doors.  
Horizontally - top of notice is 780mm from bottom of door window.

### 3.15 Position of exterior notices - car A - driver's DM car (front elevation)



#### **H Front of train number**

LUTV\_INT\_00006

Vertically - aligned with left edge of inner light panel.  
Horizontally - centred on red panel.

#### **J De-icing circle (white)**

LUTV\_EXT\_00011C

Vertically - 25mm from last digit of front of train number.  
Horizontally - centred with front train number cap height.

## Further information

This standard outlines basic principles and therefore cannot cover every application or eventuality.

If you have any questions on how to apply these rules, contact the TfL Graphics team.

Email: [corporatedesign@tfl.gov.uk](mailto:corporatedesign@tfl.gov.uk)

Any changes to this document that affect the labelling on the vehicles will require a Change to Rolling Stock (CRS) to be raised, unless stated otherwise.

For further information, see S2I80 'Standard for Rolling Stock' section A3.4.I, guidance document GI100 and forms F5715 and F5716 f, and contact the Head of Rolling Stock Document Review ([SMBHoRSDocumentRevie@tfl.gov.uk](mailto:SMBHoRSDocumentRevie@tfl.gov.uk)).

### Issue 5

April 2024

© Transport for London

MSRV24\_026 Central line train graphics standard - issue 5