

DLR

DLR upgrade train graphics standard

Issue 6

B23 stock

MAYOR OF LONDON



**TRANSPORT
FOR LONDON**
EVERY JOURNEY MATTERS

Contents

Foreword

1 Basic elements

2 Car interior notices

3 Car exterior notices

4 Non-customer facing notices

Further information

Foreword

This document details all interior and exterior notices that are to be applied to DLR upgrade trains (B23 stock). Locations for the notices are also provided.

Approved artwork for each notice shown is available from the TfL Graphics team (corporatedesign@tfl.gov.uk). No other artwork is to be used.

I Basic elements

This section outlines the basic elements that are used to produce graphic notices for the DLR fleet. This includes the use of the corporate typeface and colours.

For further information, see the design standards at tfl.gov.uk/corporatedesign

I.1 Typography

Our typeface is Johnston, which should be set in mixed upper and lower case.

New Johnston (NJ Font) Medium is the only typeface that should be used for train notices unless it is specifically stated otherwise.

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890£/.,“()::;

New Johnston Medium

1.2 Colours

These colours should be used on the DLR fleet to produce graphic notices.

The Pantone Matching System is to be used for print purposes.

Corporate Blue

Pantone 072

Safety Yellow

Pantone 116

DLR Turquoise

Pantone 326

Safety Red

Pantone 485

Safety Green

Pantone 356

Black

Black 100%

Safety Blue

Pantone 300

2 Car interior notices

The following pages illustrate the graphic notices that are to be applied to DLR train interiors (B23 stock).

2.1 Priority seat (standard)

Artwork reference

DLRTV_INT_001A_UPGRADE

Size

120 x 170mm

Position reference

A1

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent



2.2 Priority seat (window)

Artwork reference

DLRTV_INT_001B_UPGRADE

Size

120 x 170mm

Position reference

A2

Colours

- Safety Blue (Pantone 300)

Material type


Interior permanent

Note

This is a double-sided sign with black on the outward facing side.



Front



Rear

2.3 Priority seat (wheelchair bay)

Artwork reference

DLRTV_INT_00IC_UPGRADE

Size

120 x 183mm

Position reference

A3

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Note

This is a double-sided sign with black on the outward facing side.



2.4 Mind the gap/obstructing doors/items trapped in doors/penalty fares (amount not shown)

Artwork reference

DLRTV_INT_004_UPGRADE

Size

110 x 552mm

Position reference

B

Colours

- Corporate Blue (Pantone 072)
- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type

Interior permanent



2.5 Alarm located opposite

Artwork reference

DLRTV_INT_040_UPGRADE

Size

115 x 56mm

Position reference

C

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent



2.6 Alarm instructions (lift flap - push button)

Artwork reference
DLRTV_INT_039_UPGRADE

Size
100 x 156mm

Position reference
D

Colours
• Safety Red (Pantone 485)

Material type
Interior permanent



2.7 Alarm instructions (lift flap - push button - wheelchair area)

Artwork reference

DLRTV_INT_04I_UPGRADE

Size

250 x 65mm

Position reference

E

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Note

This notice is still to be determined due to the redesign of the accessible alarm.



2.8 Alarm instructions (lift flap - directional - wheelchair area)

Artwork reference

DLRTV_INT_042_UPGRADE

Size

104 x 28mm

Position reference

F

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Note

This notice is still to be determined due to the redesign of the accessible alarm.



2.9 Priority area - wheelchair (partition board)

Artwork reference

DLRTV_INT_019_UPGRADE

Size

120 x 220mm

Position reference

GI

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent



2.10 Priority area - wheelchair (centre panel)

Artwork reference
DLRTV_INT_020_UPGRADE

Size
120 x 203mm

Position reference
G2

Colours
• Safety Blue (Pantone 300)

Material type
Interior permanent



2.11 Penalty fare amount multi-notice

Artwork reference

DLRTV_INT_050_UPGRADE

Size

362 x 210mm

Position reference

H

Colours

- Corporate Blue (Pantone 072)
- Safety Red (Pantone 485)
- Black 100per cent
- Pantone 368 Green

Material type

Interior permanent

No alcohol
Drinking alcohol or carrying open containers of alcohol is prohibited on this train and in stations

No smoking including e-cigarettes

No e-scooters or e-unicycles
allowed on TfL premises or services
Failure to comply may result in prosecution

£80 penalty fare or prosecution
if you fail to show on demand a ticket, validated smartcard or other travel authority valid for the whole of your journey

Body-worn video cameras
For the safety and reassurance of our customers and staff, people working for Transport for London services may be using body-worn video cameras
The cameras record audio and video when activated
For more information visit tfl.gov.uk/cameras

Please keep your bags with you at all times and report any unattended items or suspicious behaviour to a member of staff

2.12 USB charging multi-notice

Artwork reference

DLRTV_INT_05I_UPGRADE

Size

362 x 210mm

Position reference

J

Colours

- Corporate Blue (Pantone 072)
- Safety Red (Pantone 485)
- Black 100 per cent
- Pantone 368 Green

Material type

Interior permanent

No alcohol
Drinking alcohol or carrying open containers of alcohol is prohibited on this train and in stations

USB charging is available on this train

No smoking including e-cigarettes

Body-worn video cameras
For the safety and reassurance of our customers and staff, people working for Transport for London services may be using body-worn video cameras
The cameras record audio and video when activated
For more information visit tfl.gov.uk/cameras

CCTV cameras in operation
Images are being monitored and recorded for the purposes of safety, security and the detection of crime
For more information visit tfl.gov.uk/privacy

Please keep your bags with you at all times and report any unattended items or suspicious behaviour to a member of staff

2.13 Customer contact/induction loop/cycles on DLR

Artwork reference

DLRTV_INT_052_UPGRADE

Size

500 x 210mm

Position reference

K

Colours

- Corporate Blue (Pantone 072)
- Safety Blue (Pantone 300)

Material type

Interior permanent

Note

The induction loop message may need to be amended once induction loop coverage has been confirmed.

The artwork is a composite of four panels. The top-left panel is dark blue with white text for 'We'd like to hear from you', providing contact information for TfL and London TravelWatch. The top-right panel is dark blue with white text for 'Reporting a crime', detailing how to report incidents. The bottom-left panel is dark blue with white text for 'Induction loop', indicating that an induction loop facility is available for use. The bottom-right panel is dark blue with white text for 'Cycles on DLR', including a bicycle icon and rules for cycling on the train. The bottom-left panel also features a white icon of an ear and the letter 'T'.

We'd like to hear from you

We value your feedback, suggestions and complaints which help to improve our service:

Web: tfl.gov.uk
Phone: 0343 222 1234*

To take your comments further, please contact London TravelWatch, the independent statutory watchdog for transport users in and around London.

Website: www.londontravelwatch.org.uk
Phone: 020 3176 2999

Check your travel
tfl.gov.uk/travel-tools 24-hour travel information
0343 222 1234*

*Network charges may apply. See tfl.gov.uk/terms for details.

Reporting a crime

We want everyone travelling on our network to feel safe. If you experience or witness a crime, feel threatened by another customer, or see something that doesn't feel right, text BTP on 61016 or call 0800 40 50 40. In an emergency call 999 or use the passenger alarm.

Staff assaults

Any form of violence, aggression, verbal or racial abuse against our staff is unacceptable.

We will always press for the strongest penalties for anyone who assaults our staff.

Induction loop

An induction loop facility is available for use*

*Hearing loop access may not be available in between carriages

Cycles on DLR

Cycles are permitted on DLR trains Monday to Friday during off-peak hours (until 07:30, between 09:30-16:00 and after 19:00) and all day at weekends and on public holidays

Non-folded cycles are not allowed to enter Bank station at any time

There are no restrictions on folded cycles

Riding in stations or on trains is not permitted

To ensure the safety and comfort of all passengers, cyclists should:

- Stay with their bicycles at all times
- Use lifts or stairs not escalators, giving priority to mobility impaired passengers
- Use all available doors when boarding the train with no more than two cycles per set of doors
- On the train, remain near the doors away from the seated area
- Allow other passengers to pass freely and give extra room to those with wheelchairs, mobility scooters and prams

Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used.

2.14 In an emergency

Artwork reference

DLRTV_INT_06I_UPGRADE

Size

176 x 210mm

Position reference

L

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent



2.15 DLR network map


Artwork reference
DLRTV_INT_005_UPGRADE

Material type
Interior semi-permanent (special)

Size
880 x 210mm

Position reference
M

Colours
• CMYK



Example only
Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used.

2.16 Central London Tube map


Artwork reference
DLRTV_INT_006_UPGRADE

Size
445 x 210mm

Position reference
N

Colours
• CMYK

Material type
Interior semi-permanent (special)



Example only
Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used.

2.17 Car reference numbers (blue)

Artwork reference

DLRTV_INT_030_UPGRADE

Size

60mm Cap height
(256pt NJ Font Medium)

Position reference

○

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent

The image shows the alphanumeric string '29A' in a large, bold, blue sans-serif font. The characters are thick and have a clean, modern appearance.

Example only

Notice shown is for illustrative purposes only.

2.18 Temporary seats

Artwork reference

DLRTV_INT_012_UPGRADE

Size

154 x 60mm

Position reference

P

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent



2.19 Keep door area clear

Artwork reference

DLRTV_INT_015_UPGRADE

Size

200 x 76mm

Position reference

Q

Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type

Interior permanent



2.20 Notice to staff

Artwork reference

DLRTV_INT_060_UPGRADE

Size

200 x 78mm

Position reference

R

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent



2.21 Do not distract

Artwork reference

DLRTV_INT_02I_UPGRADE

Size

116 x 162mm

Position reference

S

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent



2.22 No entry

Artwork reference

DLRTV_INT_045_UPGRADE

Size

164 x 60mm

Position reference

T

Colours

- Safety Red (Pantone 485)
- Black 100 per cent

Material type

Interior permanent



2.23 Emergency door release (portrait)

Artwork reference

DLRTV_INT_014P_UPGRADE

Size

74 x 193mm

Position reference

U

Colours

- Safety Green (Pantone 356)
- Safety Red (Pantone 485)

Material type

Interior permanent



2.24 Emergency door release (landscape)

Artwork reference

DLRTV_INT_014L_UPGRADE

Size

165 x 65mm

Position reference

V

Colours

- Safety Green (Pantone 356)
- Safety Red (Pantone 485)

Material type

Interior permanent



2.25 Selective door opening

Artwork reference

DLRTV_INT_062_UPGRADE

Size

167 x 210mm

Position reference


W

Colours

- Corporate Blue (Pantone 072)
- Safety Red (Pantone 485)
- Black 100 per cent

Material type

Interior permanent



2.26 Door reference numbers

Artwork reference

DLRTV_INT_027_UPGRADE

Size

16mm Cap height
(70pt NJ Font Medium)

Position reference

X

Colours

- Corporate Blue (Pantone 072)

Material type


Interior permanent

The image shows the text 'A2' in a large, bold, blue sans-serif font. The 'A' and '2' are connected at the top. This is an example of the artwork reference.

Example only

Notice shown is for illustrative purposes only.

2.27 Position of interior notices - cars A and E (side elevation)



2.27.1

AI Priority seat (standard)

DLRTV_INT_001A_UPGRADE

Vertically - centred on panel above priority seat.

Horizontally - 400mm from top of panel.

B Mind the gap/obstructing doors/ items trapped in doors/penalty fares

DLRTV_INT_004_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - 110mm from top of door window.

C Alarm located opposite

DLRTV_INT_040_UPGRADE

Vertically - centred on panel.

Horizontally - 100mm from top of panel.

D Alarm instructions (lift flap - push button)

DLRTV_INT_039_UPGRADE

Vertically - centred above alarm device.

Horizontally - 10mm above alarm device speech panel.

H Penalty fare amount multi-notice

DLRTV_INT_050_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

J USB charging multi-notice

DLRTV_INT_051_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

K Customer contact/induction loop/ cycles on DLR

DLRTV_INT_052_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

L In an emergency

DLRTV_INT_061_UPGRADE

Vertically - left-hand side of notice 10mm from panel edge.

Horizontally - centred on panel at height of network map.

M DLR network map

DLRTV_INT_005_UPGRADE

Vertically - centred above doors below.

Horizontally - centred on panel above doors

N Central London Tube Map

DLRTV_INT_006_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

O Car reference numbers (blue)

DLRTV_INT_030_UPGRADE

Side 1 - D end

Vertically - 100mm from end of panel.

Horizontally - centred on panel.

Side 2 - A end

Vertically - aligned with front of first window.

Horizontally - centred on car line diagram panel strip.

2.27.2

T No entry

DLRTV_INT_045_UPGRADE

Vertically - centred on panel.

Horizontally - 40mm from top of panel.

U Emergency door release (portrait)

DLRTV_INT_014P_UPGRADE

Vertically - centred above release device.

Horizontally - 10mm above release device cover panel.

V Emergency door release (landscape)

DLRTV_INT_014L_UPGRADE

Vertically - centred above release device.

Horizontally - centred between emergency release device cover panel and control panel above.

W Selective door opening


DLRTV_INT_062_UPGRADE

To be used in first and last carriages only

Vertically - right-hand side of notice
10mm from panel edge.

Horizontally - centred on panel at height of network map.

2.28 Position of interior notices - accessible cars B and D (side elevation)



2.28.1

A2 Priority seat (window)

DLRTV_INT_001B_UPGRADE

Vertically - on the window centred above priority seat.

Horizontally - bottom of notice 200mm from bottom of window.

A3 Priority seat (wheelchair bay)

DLRTV_INT_001C_UPGRADE

Vertically - centred on panel above priority seat.

Horizontally - 400mm from top of panel.

B Mind the gap/obstructing doors/ items trapped in doors/penalty fares

DLRTV_INT_004_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - 110mm from top of door window.

C Alarm located opposite

DLRTV_INT_040_UPGRADE

Vertically - centred on panel.

Horizontally - 100mm from top of panel.

D Alarm instructions (lift flap - push button)

DLRTV_INT_039_UPGRADE

Vertically - centred above alarm device.

Horizontally - 10mm above alarm device speech panel.

E Alarm instructions (lift flap - push button - wheelchair area)

DLRTV_INT_041_UPGRADE

Vertically - centred on top slanted panel of alarm device.

Horizontally - centred on top slanted panel of alarm device.

F Alarm instruction (lift flap - directional - wheelchair area)

DLRTV_INT_042_UPGRADE

Vertically - centred on panel above push button glass.

Horizontally - centred on panel above push button glass.

G1 Priority area - wheelchair (partition board)

DLRTV_INT_019_UPGRADE

Vertically - centred on panel.

Horizontally - 400mm from top of panel.

G2 Priority area - wheelchair (centre panel)

DLRTV_INT_020_UPGRADE

Vertically - centred on panel.

Horizontally - 400mm from top of panel.

H Penalty fare amount multi-notice

DLRTV_INT_050_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

J USB charging multi-notice

DLRTV_INT_051_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

K Customer contact/induction loop/ cycles on DLR

DLRTV_INT_052_UPGRADE


Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

2.28.2

- L In an emergency**
DLRTV_INT_06I_UPGRADE
Vertically - left-hand side of notice
10mm from panel edge.
Horizontally - centred on panel at
height of network map.
- M DLR network map**
DLRTV_INT_005_UPGRADE
Vertically - centred above doors
below.
Horizontally - centred on panel
above doors
- N Central London Tube Map**
DLRTV_INT_006_UPGRADE
Vertically - 10mm from DLR network
map.
Horizontally - centred on panel
above doors.
- O Car reference numbers (blue)**
DLRTV_INT_030_UPGRADE
Vertically - 100mm from end of
panel.
Horizontally - centred on network
map panel strip.
- U Emergency door release (portrait)**
DLRTV_INT_014P_UPGRADE
Vertically - centred above release
device.
Horizontally - 10mm above release
device cover panel.
- V Emergency door release (landscape)**
DLRTV_INT_014L_UPGRADE
Vertically - centred above release
device.
Horizontally - centred between
emergency release device cover
panel and control panel above.

2.29 Position of interior notices - car C (side elevation)



2.29.1

AI Priority seat (standard)

DLRTV_INT_001A_UPGRADE

Vertically - centred on panel above priority seat.

Horizontally - 400mm from top of panel.

B Mind the gap/obstructing doors/ items trapped in doors/penalty fares

DLRTV_INT_004_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - 110mm from top of door window.

C Alarm located opposite

DLRTV_INT_040_UPGRADE

Vertically - centred on panel.

Horizontally - 100mm from top of panel.

D Alarm instructions (lift flap - push button)

DLRTV_INT_039_UPGRADE

Vertically - centred above alarm device.

Horizontally - 10mm above alarm device speech panel.

H Penalty fare amount multi-notice

DLRTV_INT_050_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

J USB charging multi-notice

DLRTV_INT_051_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

K Customer contact/induction loop/ cycles on DLR

DLRTV_INT_052_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

L In an emergency

DLRTV_INT_061_UPGRADE

Vertically - left-hand side of notice 10mm from panel edge.

Horizontally - centred on panel at height of network map.

M DLR network map

DLRTV_INT_005_UPGRADE

Vertically - centred above doors below.

Horizontally - centred on panel above doors.

N Central London Tube Map

DLRTV_INT_006_UPGRADE

Vertically - 10mm from DLR network map.

Horizontally - centred on panel above doors.

O Car reference number

DLRTV_INT_030_UPGRADE

Vertically - 100mm from end of panel.

Horizontally - centred on network map panel strip.

U Emergency door release (portrait)

DLRTV_INT_014P_UPGRADE

Vertically - centred above release device.

Horizontally - 10mm above release device cover panel.

2.29.2


V Emergency door release (landscape)

DLRTV_INT_014L_UPGRADE

Vertically - centred above release device.

Horizontally - centred between emergency release device cover panel and control panel above.

2.30 Position of interior notices (front elevation)



P Temporary seats

DLRTV_INT_012_UPGRADE

Vertically - centred on panel.

Horizontally - centred on panel.

Q Keep door area clear

DLRTV_INT_015_UPGRADE

Vertically - 10mm from door right rubber edge.

Horizontally - 10mm below window edge.

R Notice to staff

DLRTV_INT_060_UPGRADE

Vertically - centred beneath cover panel.

Horizontally - 10mm below cover panel.


S Do not distract

DLRTV_INT_021_UPGRADE

Vertically - centred on panel (vertical sides to remain vertical and not angled).

Horizontally - 170mm from top of panel (horizontal sides to remain horizontal and not angled).

2.31 Position of interior notices (door reference numbers for all passenger doors)



Cab side doors

- X Door reference numbers**
DLRTV_INT_027_UPGRADE
Vertically - 10mm from door rubber edge.
Horizontally - cap height aligned with top of door window.

3 Car exterior notices

The following pages illustrate the graphic notices that are to be applied to DLR train exteriors (B23 stock).

3.1 Roundel

Artwork reference

DLRTV_EXT_001_UPGRADE

Size

440mm width
(470mm width when including the white
keyline and white background)

Position reference

A

Colours

- DLR Turquoise (Pantone 326)
- Corporate Blue (Pantone 072)

Material type

Exterior permanent



3.2 Obstructing doors/shark teeth (left)

Artwork reference

DLRTV_EXT_0047A_UPGRADE

Size

70 x 840mm

Position reference

B

Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type

Exterior permanent



3.3 Obstructing doors/shark teeth (right)

Artwork reference

DLRTV_EXT_0047B_UPGRADE

Size

70 x 840mm

Position reference

C

Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type

Exterior permanent



3.4 Wheelchair entry

Artwork reference

DLRTV_EXT_008_UPGRADE

Size

130 x 150mm

Position reference

D

Colours

- Safety Blue (Pantone 300)

Material type

Exterior permanent



3.5 Car reference number (white)

Artwork reference

DLRTV_EXT_009_UPGRADE

Size

120mm Cap height
(512pt NJ Font Medium)

Position reference

E

Colours

- White
(Turquoise shown is for illustrative purposes only)

Material type

Exterior permanent

Note

The positioning of this number on the side of cars is such that, when the doors open, the number is always visible.



Example only

Notice shown is for illustrative purposes only.

3.6 Car reference number (blue)

Artwork reference

DLRTV_EXT_010_UPGRADE

Size

120mm Cap height
(512pt NJ Font Medium)

Position reference

F

Colours

- Corporate Blue (Pantone 072)

Material type

Exterior permanent

Note

The positioning of this number on the side of cars is such that, when the doors open, the number is always visible.

235A

Example only

Notice shown is for illustrative purposes only.

3.7 Front of car reference numbers (white)

Artwork reference

DLRTV_EXT_009_UPGRADE

Size

120mm Cap height
(512pt NJ Font Medium)

Position reference


G

Colours

- White
(Black shown is for illustrative purposes only)

Material type

Exterior permanent



Example only

Notice shown is for illustrative purposes only.

3.8 SCD reference

Artwork reference

DLRTV_EXT_011_UPGRADE

Size

16mm Cap height
(70pt NJ Font Medium)

Position reference

H

Colours

- White
(Black shown is for illustrative purposes only)

Material type


Exterior permanent



Example only

Notice shown is for illustrative purposes only.

3.9 Position of exterior notices - cars A and E (side elevation)



3.9.1

A Roundel

DLRTV_EXT_00I_UPGRADE

Vertically - centred between two windows.

Horizontally - centred between bottom of window blacking and bottom of solebar.

B Obstructing doors/shark teeth (left)

DLRTV_INT_0047A_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - bottom of vinyl aligns with bottom of door window.

C Obstructing doors/shark teeth (right)

DLRTV_INT_0047B_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - bottom of vinyl aligns with bottom of door window.

E Car reference number (white)

DLRTV_EXT_009_UPGRADE

Vertically - aligned with front of first window.


Horizontally - centred on panel.

F Car reference number (blue)

DLRTV_EXT_010_UPGRADE

Vertically - centre of text 450mm from panel end.

3.10 Position of exterior notices - accessible cars B and D (side elevation)



3.10.1

A Roundel

DLRTV_EXT_00I_UPGRADE

Vertically - centred between two windows.

Horizontally - centred between bottom of window blacking and bottom of solebar.

B Obstructing doors/shark teeth (left)

DLRTV_INT_0047A_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - bottom of vinyl aligns with bottom of door window.

C Obstructing doors/shark teeth (right)

DLRTV_INT_0047B_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - bottom of vinyl aligns with bottom of door window.

D Wheelchair access

DLRTV_EXT_008_UPGRADE

Vertically - centred on door outer panel.


Horizontally - bottom of notice 20mm above door opening button.

F Car reference number (blue)

DLRTV_EXT_010_UPGRADE

Vertically - centre of text 450mm from panel end.

3.11 Position of exterior notices - car C (side elevation)



3.11.1

A Roundel

DLRTV_EXT_00I_UPGRADE

Vertically - centred between two windows.

Horizontally - centred between bottom of window blacking and bottom of solebar.

B Obstructing doors/shark teeth (left)

DLRTV_INT_0047A_UPGRADE

Vertically - 10mm from door rubber edge.

Horizontally - bottom of vinyl aligns with bottom of door window.

C Obstructing doors/shark teeth (right)

DLRTV_INT_0047B_UPGRADE

Vertically - 10mm from door rubber edge.


Horizontally - bottom of vinyl aligns with bottom of door window.

F Car reference number (blue)

DLRTV_EXT_010_UPGRADE

Vertically - centre of text 450mm from panel end.

3.12 Position of exterior notices (front elevation)



- G Front of car reference number**
DLRTV_EXT_009_UPGRADE
Vertically - centred on door.
Horizontally - centred in line with headlights.

- H SCD reference**
DLRTV_EXT_011_UPGRADE
Vertically - centred on panel.
Horizontally - centred on panel.

4 Non-customer facing notices

The following pages illustrate the graphic notices that are to be applied to DLR train (B23 stock) in non-customer facing areas.

4.1 Locations for emergency equipment cupboards

Artwork reference
DLRTV_NCF_001_UPGRADE


Size
250 x 239mm

Position reference
A1 and A2

Colours

- Safety Green (Pantone 356)
- Safety Yellow (Pantone 116)

Material type
Interior permanent



4.2 Position of notices (non-customer facing areas)

A1 Locations for emergency equipment cupboards

DLRTV_NCF_001_UPGRADE

Vertically - centred on underside of the Emergency Driving Panel (EDP) cover.


Horizontally - 120mm below the top of the underside of the EDP cover.

A2 Locations for emergency equipment cupboards

DLRTV_NCF_001_UPGRADE

Vertically - centred on inside of auxillary panel doors.

Horizontally - 120mm below the top of the inside of the auxillary panel door.



Further information

This standard outlines basic principles and therefore cannot cover every application or eventuality.

If you have any questions on how to apply these rules, contact the TfL Graphics team.

Email: corporatedesign@tfl.gov.uk

Issue 6

April 2023

© Transport for London

MSRV22_006 DLR UPGRADE train graphics standard B23 stock - Issue 6