

Station	Platform	Delay (mins)	Nach code	05:00 06:00	06:00 07:00	07:00 08:00	08:00 09:00	09:00 10:00	10:00 11:00	11:00 12:00	12:00 13:00	13:00 14:00	14:00 15:00	15:00 16:00	16:00 17:00	17:00 18:00	18:00 19:00	19:00 20:00	20:00 21:00	21:00 22:00	22:00 23:00	23:00 00:00	00:00 01:00		
Shoreditch	1	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000		
		ID letter code		O	O	O	O	M	L	L	K	K	L	L	L	L	L	L	L	L	L	L	M	O	
		>15 Nax per hr		0.0000	0.0017	0.0665	0.1381	0.1917	0.2413	0.2775	0.2908	0.3259	0.2735	0.2615	0.2733	0.2338	0.2487	0.2882	0.2299	0.1815	0.1416	0.0435	0.0021		
		Steady State Nax		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Whitechapel	6	ID Factor		1.0000	1.0000	1.0000	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.0000	
		ID letter code		O	O	O	O	M	L	L	K	K	L	L	L	L	L	L	L	L	L	L	M	O	
		>15 Nax per hr		0.0000	0.0053	0.2016	0.4184	0.5810	0.7311	0.8408	0.8811	0.9875	0.8289	0.7925	0.8282	0.7086	0.7535	0.8734	0.6966	0.5501	0.4292	0.1317	0.0064		
		Steady State Nax		0.0000	0.0000	0.0000	0.3534	0.4907	0.6174	0.7101	0.7441	0.8340	0.7000	0.6693	0.6995	0.5984	0.6364	0.7376	0.5883	0.4646	0.3625	0.1113	0.0000		
Shadwell	2	ID Factor		1.0000	1.0000	1.0000	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.0000	
		ID letter code		O	O	O	N	L	K	J	J	I	J	K	J	K	K	H	I	J	L	O	O		
		>15 Nax per hr		0.0000	0.0053	0.2016	0.4184	0.5810	0.7311	0.8408	0.8811	0.9875	0.8289	0.7925	0.8282	0.7086	0.7535	0.8734	0.6966	0.5501	0.4292	0.1317	0.0064		
		Steady State Nax		0.0000	0.0000	0.0000	0.3534	0.4907	0.6174	0.7101	0.7441	0.8340	0.7000	0.6693	0.6995	0.5984	0.6364	0.7376	0.5883	0.4646	0.3625	0.1113	0.0000		
Wapping	2	ID Factor		1.0000	1.0000	1.0000	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.0000	
		ID letter code		O	O	O	N	L	K	K	J	J	K	K	K	K	K	I	I	K	L	O	O		
		>15 Nax per hr		0.0000	0.0053	0.2016	0.4184	0.5810	0.7311	0.8408	0.8811	0.9875	0.8289	0.7925	0.8282	0.7086	0.7535	0.8734	0.6966	0.5501	0.4292	0.1317	0.0064		
		Steady State Nax		0.0000	0.0000	0.0000	0.3534	0.4907	0.6174	0.7101	0.7441	0.8340	0.7000	0.6693	0.6995	0.5984	0.6364	0.7376	0.5883	0.4646	0.3625	0.1113	0.0000		
Rotherhithe	2	ID Factor		1.0000	1.0000	1.0000	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.0000	
		ID letter code		O	O	O	O	M	L	K	K	J	K	L	K	L	L	I	J	K	L	O	O		
		>15 Nax per hr		0.0000	0.0053	0.2016	0.4184	0.5810	0.7311	0.8408	0.8811	0.9875	0.8289	0.7925	0.8282	0.7086	0.7535	0.8734	0.6966	0.5501	0.4292	0.1317	0.0064		
		Steady State Nax		0.0000	0.0000	0.0000	0.3534	0.4907	0.6174	0.7101	0.7441	0.8340	0.7000	0.6693	0.6995	0.5984	0.6364	0.7376	0.5883	0.4646	0.3625	0.1113	0.0000		
Canada Water	2	ID Factor		1.0000	1.0000	1.0000	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.0000	
		ID letter code		O	O	O	O	N	L	L	K	K	L	L	L	M	L	J	K	L	N	O	O		
		>15 Nax per hr		0.0000	0.0053	0.2016	0.4184	0.5810	0.7311	0.8408	0.8811	0.9875	0.8289	0.7925	0.8282	0.7086	0.7535	0.8734	0.6966	0.5501	0.4292	0.1317	0.0064		
		Steady State Nax		0.0000	0.0000	0.0000	0.3534	0.4907	0.6174	0.7101	0.7441	0.8340	0.7000	0.6693	0.6995	0.5984	0.6364	0.7376	0.5883	0.4646	0.3625	0.1113	0.0000		
Surrey Quays	2	ID Factor		1.0000	1.0000	1.0000	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.3846	1.0000	
		ID letter code		O	O	O	O	N	M	L	L	K	L	L	L	M	M	L	M	M	O	O	O		
		>15 Nax per hr		0.0000	0.0053	0.2016	0.4184	0.5810	0.7311	0.8408	0.8811	0.9875	0.8289	0.7925	0.8282	0.7086	0.7535	0.8734	0.6966	0.5501	0.4292	0.1317	0.0064		
		Steady State Nax		0.0000	0.0000	0.0000	0.3534	0.4907	0.6174	0.7101	0.7441	0.8340	0.7000	0.6693	0.6995	0.5984	0.6364	0.7376	0.5883	0.4646	0.3625	0.1113	0.0000		