

Station	Platform	Delay (mins)	Nach code	05:00 06:00	06:00 07:00	07:00 08:00	08:00 09:00	09:00 10:00	10:00 11:00	11:00 12:00	12:00 13:00	13:00 14:00	14:00 15:00	15:00 16:00	16:00 17:00	17:00 18:00	18:00 19:00	19:00 20:00	20:00 21:00	21:00 22:00	22:00 23:00	23:00 00:00	00:00 01:00	
Amersham	1	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0304	0.1982	1.3094	2.4189	1.4619	0.4695	0.3885	0.4233	0.4607	0.4132	0.5547	1.4332	2.0528	1.7441	0.5638	0.3114	0.2224	0.1817	0.1496	0.0457	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	O	D	D	G	I	J	J	O	J	E	F	G	J	M	O	O	O	O	O	O	O
Amersham	2	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0304	0.1982	1.3094	2.4189	1.4619	0.4695	0.3885	0.4233	0.4607	0.4132	0.5547	1.4332	2.0528	1.7441	0.5638	0.3114	0.2224	0.1817	0.1496	0.0457	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	O	D	D	G	I	J	J	O	J	E	F	G	J	M	O	O	O	O	O	O	O
Amersham	3	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0304	0.1982	1.3094	2.4189	1.4619	0.4695	0.3885	0.4233	0.4607	0.4132	0.5547	1.4332	2.0528	1.7441	0.5638	0.3114	0.2224	0.1817	0.1496	0.0457	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	O	D	D	G	I	J	J	O	J	E	F	G	J	M	O	O	O	O	O	O	O
Chesham	1	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0136	0.0885	0.8603	1.5893	0.9605	0.2096	0.1735	0.1890	0.2057	0.1845	0.2477	0.9416	1.3487	1.1459	0.2517	0.1391	0.0993	0.0811	0.0668	0.0204	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	O	E	F	J	K	L	K	M	O	G	H	F	H	K	M	O	O	O	O	O	O
Chalfont & Latimer	2	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0980	0.6386	4.1579	7.6809	4.6420	1.5125	1.2514	1.3636	1.4841	1.3311	1.7870	4.5508	6.5183	5.5380	1.8162	1.0033	0.7165	0.5854	0.4820	0.1474	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	O	C	D	G	I	K	I	N	K	E	F	F	H	K	M	O	O	O	O	O	O
Chorleywood	2	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0980	0.6386	4.1579	7.6809	4.6420	1.5125	1.2514	1.3636	1.4841	1.3311	1.7870	4.5508	6.5183	5.5380	1.8162	1.0033	0.7165	0.5854	0.4820	0.1474	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	O	C	D	G	I	K	I	N	K	E	F	F	H	K	M	O	O	O	O	O	O
Rickmansworth	2	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0980	0.6386	4.1579	7.6809	4.6420	1.5125	1.2514	1.3636	1.4841	1.3311	1.7870	4.5508	6.5183	5.5380	1.8162	1.0033	0.7165	0.5854	0.4820	0.1474	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	O	C	D	G	I	K	I	N	K	E	F	F	H	K	M	O	O	O	O	O	O
Watford	1	ID Factor		1.0000	1.0000	1.3846	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.1372	0.8939	6.3958	11.8150	7.1405	2.1171	1.7517	1.9088	2.0774	1.8632	2.5014	7.0001	10.0266	8.5188	2.5423	1.4044	1.0029	0.8194	0.6746	0.2063	
		Steady State Nax	0.0000	0.0000	1.6620	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	K	D	D	J	L	J	H	K	J	F	G	H	I	J	K	L	L	N	N	N	N
Watford	2	ID Factor		1.0000	1.0000	1.3846	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.1372	0.8939	6.3958	11.8150	7.1405	2.1171	1.7517	1.9088	2.0774	1.8632	2.5014	7.0001	10.0266	8.5188	2.5423	1.4044	1.0029	0.8194	0.6746	0.2063	
		Steady State Nax	0.0000	0.0000	1.6620	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	O	K	D	D	J	L	J	H	K	J	F	G	H	I	J	K	L	L	N	N	N	N
Croxley	2	ID Factor		1.0000	1.0000	1.3846	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.1372	0.8939	6.3958	11.8150	7.1405	2.1171	1.7517	1.9088	2.0774	1.8632	2.5014	7.0001	10.0266	8.5188	2.5423	1.4044	1.0029	0.8194	0.6746	0.2063	
		Steady State Nax	0.0000	0.0000	1.6620	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	L	K	D	E	G	M	L	H	J	J	F	F	G	H	J	K	L	L	N	N	N	N
Moor Park	2	ID Factor		1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.0477	0.3109	1.9780	3.6540	2.2083	0.7363	0.6092	0.6639	0.7225	0.6480	0.8700	2.1649	3.1009	2.6346	0.8842	0.4884	0.3488	0.2850	0.2346	0.0717	
		Steady State Nax	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	N	I	C	D	F	M	J	H	L	I	E	F	G	I	K	M	M	M	N	N	N	N
Moor Park	4	ID Factor		1.0000	1.0000	1.8000	1.1887	1.0000	1.1887	1.0000	1.0000	1.0000	1.0000	1.1887	1.3846	1.0000	1.1887	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
		>15	Nax per hr	0.3155	2.0562	19.5287	36.0755	21.8024	4.8700	4.0295	4.3908	4.7787	4.2860	5.7541	21.3739	30.6149	26.0109	5.8481	3.2305	2.3071	1.8849	1.5519	0.4745	
		Steady State Nax	0.0000	0.0000	12.0851	4.1415	0.0000	0.6735	0.0000	0.0000	0.0000	0.0000	0.0000	0.7958	5.5541	0.0000	2.9861	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
		ID letter code	I	H	C	D	H	K	J	J	I	I	J	E	F	H	J	K	L	K	M	M	M	M
Northwood																								

Hammersmith (C & H)	1	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	L	H	C	C	F	H	H	G	H	H	F	F	E	J	L	J	J	I	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Hammersmith (C & H)	2	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	L	H	C	C	F	H	H	G	H	H	F	F	E	J	L	J	J	I	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Hammersmith (C & H)	3	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	L	H	C	C	F	H	H	G	H	H	F	F	E	J	L	J	J	I	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Goldhawk Road	1	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	K	E	C	D	E	J	H	G	H	H	E	E	E	H	I	I	I	H	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Shepherds Bush (C & H)	1	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	K	E	C	D	E	J	H	G	H	H	E	E	E	H	I	I	I	H	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Latimer Road	1	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	K	E	C	D	E	J	H	G	H	H	E	E	E	H	I	I	I	H	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Ladbroke Grove	1	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	K	E	C	D	E	J	H	G	H	H	E	E	E	H	I	I	I	H	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Westbourne Park	2	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	K	E	C	D	E	J	H	G	H	H	E	E	E	H	I	I	I	H	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Royal Oak	2	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	K	E	C	D	E	J	H	G	H	H	E	E	E	H	I	I	I	H	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Paddington	16	ID Factor	1.3846	1.8000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.3846	1.1887	1.1887	1.1887	1.1887	1.3846	1.0000	1.0000
	2-20	ID letter code	K	E	C	D	E	J	H	G	H	H	E	E	E	H	I	I	I	H	I	K	K
	>15	Nax per hr	0.6225	4.0569	24.6169	45.4749	27.4830	9.6084	7.9502	8.6629	9.4282	8.4563	11.3527	26.9428	38.5915	32.7881	11.5382	6.3736	4.5518	3.7189	3.0619	0.9362	
		Steady State Nax	0.1618	2.5106	6.3968	5.2206	7.1416	2.6099	1.0995	2.3531	1.3039	2.2970	3.0837	3.0931	10.0282	8.5201	1.5957	0.8814	0.6295	0.1012	0.0000	0.0000	
Edgware Road (C&H)	1	ID Factor	2.4894	3.0000	3.0000	3.0000	3.2727	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.2727	2.7391	3.0000	3.2727	3.0000	3.0000	2.4894	2.2500	2.0204	1.0000
	2-20	ID letter code	I	E	A	C	D	G	F	E	F	D	D	D	D	E	H	J	I	I	I	K	K
	>15	Nax per hr	1.3781	8.9810	57.4327	106.0956	64.1195	21.2707	17.5998	19.1774	20.8717	18.7201	25.1320	62.8591	90.0363	76.4964	25.5426	14.1097	10.0766	8.2328	6.7782	2.0275	
		Steady State Nax	1.1738	8.0618	51.5546	95.2371	58.7106	17.4662	14.4519	15.7473	17.1386	15.3718	21.4195	55.0941	80.8213	70.0434	20.9741	11.5860	7.5149	5.7759	4.4285	0.0000	
Edgware Road (C&H)	2	ID Factor	2.4894	3.0000	3.0000	3.0000	3.2727	3.0000	3.0000	3.0000	3.0000	3.0000	3.2727	2.7391	3.0000	3.2727	3.0000	3.0000	2.4894	2.2500	2.0204	1.0000	
	2-20	ID letter code	I	E	A	C	D	G	F	E	F	D	D	D	E	H	J	I	I	I	K	K	
	>15	Nax per hr	1.3781	8.9810	57.4327	106.0956	64.1195	21.2707	17.5998	19.1774	20.8717	18.7201	25.1320	62.8591	90.0363	76.4964	25.5426	14.1097	10.0766	8.2328	6.7782	2.0275	
		Steady State Nax	1.1738	8.0618	51.5546	95.2371	58.7106	17.4662	14.4519	15.7473	17.1386	15.3718	21.4195	55.0941	80.8213	70.0434	20.9741	11.5860	7.5149	5.7759	4.4285	0.0000	
Baker Street	5	ID Factor	2.4894	3.0000	3.0000	3.0000	3.2727	3.0000	3.0000	3.0000	3.0000	3.0000	3.2727	2.7391	3.0000	3.2727	3.0000	3.0000	2.4894	2.2500	2.0204	1.0000	
	2-20	ID letter code	I	F	A	B																	

			Steady State Nax	1.8021	13.0092	93.6803	173.7747	104.5874	30.1201	24.9219	27.1559	29.5550	26.5083	36.2347	102.5315	147.4710	124.1453	36.1692	19.9798	13.9623	11.1138	8.1757	0.0000
Moorgate	1		ID Factor	2.4894	3.8571	6.8824	9.0000	7.8750	5.5946	5.5946	5.5946	5.5946	5.5946	6.4286	7.8750	8.4194	6.4286	5.2105	5.2105	4.1707	3.5581	2.7391	1.0000
		2-20	ID letter code	I	G	A	A	B	F	F	F	F	F	D	C	B	E	H	H	H	H	I	I
		>15	Nax per hr	2.1158	13.7877	95.4729	176.3675	106.5887	32.6551	27.0194	29.4415	32.0426	28.7394	38.5830	104.4934	149.6713	127.1634	39.2134	21.6614	15.4697	12.6391	10.4060	3.1817
			Steady State Nax	1.8021	13.0092	93.6803	173.7747	104.5874	30.1201	24.9219	27.1559	29.5550	26.5083	36.2347	102.5315	147.4710	124.1453	36.1692	19.9798	13.9623	11.1138	8.1757	0.0000
Liverpool Street	1		ID Factor	2.4894	3.8571	6.8824	9.0000	7.8750	5.5946	5.5946	5.5946	5.5946	5.5946	6.4286	7.8750	8.4194	6.4286	5.2105	5.2105	4.1707	3.5581	2.7391	1.0000
		2-20	ID letter code	I	G	A	A	B	F	F	F	F	F	D	C	B	E	H	H	H	H	I	I
		>15	Nax per hr	2.1158	13.7877	95.4729	176.3675	106.5887	32.6551	27.0194	29.4415	32.0426	28.7394	38.5830	104.4934	149.6713	127.1634	39.2134	21.6614	15.4697	12.6391	10.4060	3.1817
			Steady State Nax	1.8021	13.0092	93.6803	173.7747	104.5874	30.1201	24.9219	27.1559	29.5550	26.5083	36.2347	102.5315	147.4710	124.1453	36.1692	19.9798	13.9623	11.1138	8.1757	0.0000
Aldgate	1		ID Factor	1.0000	1.0000	1.3846	1.1887	1.3846	1.3846	1.1887	1.3846	1.1887	1.3846	1.1887	1.1887	1.3846	1.3846	1.1887	1.3846	1.0000	1.1887	1.0000	1.0000
		2-20	ID letter code	K	G	B	C	E	G	H	G	G	G	E	D	C	H	J	J	I	J	J	J
		>15	Nax per hr	0.3262	2.1257	9.7058	17.9295	10.8358	5.0346	4.1658	4.5392	4.9402	4.4309	5.9486	10.6228	15.2156	12.9274	6.0458	3.3397	2.3851	1.9487	1.6044	0.4905
			Steady State Nax	0.0000	0.0000	2.5221	2.0583	2.8157	1.3675	0.5761	1.2330	0.6832	1.2036	0.8227	1.2195	3.9538	3.3593	0.8361	0.9071	0.0000	0.2695	0.0000	0.0000