

| Station | Platform | Delay (mins) | Nach code | 05:00 06:00 | 06:00 07:00 | 07:00 08:00 | 08:00 09:00 | 09:00 10:00 | 10:00 11:00 | 11:00 12:00 | 12:00 13:00 | 13:00 14:00 | 14:00 15:00 | 15:00 16:00 | 16:00 17:00 | 17:00 18:00 | 18:00 19:00 | 19:00 20:00 | 20:00 21:00 | 21:00 22:00 | 22:00 23:00 | 23:00 00:00 | 00:00 01:00 | | |
|-----------------|----------|------------------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|--------|
| Stanmore | 1 | ID Factor | | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | |
| | | ID letter code | | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O |
| | | Nax per hr | | 0.0000 | 0.0427 | 1.6810 | 3.8963 | 5.9192 | 8.4051 | 9.5448 | 9.5519 | 10.2358 | 9.8867 | 8.8824 | 9.2670 | 9.8226 | 9.7086 | 7.3387 | 6.0908 | 5.0044 | 3.5442 | 1.2796 | 0.0824 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.7396 | 1.0502 | 1.1926 | 1.1935 | 1.2789 | 1.2353 | 1.1098 | 1.1579 | 1.2273 | 1.2131 | 0.9169 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Stanmore | 2 | ID Factor | | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | |
| | | ID letter code | | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O | O |
| | | Nax per hr | | 0.0000 | 0.0427 | 1.6810 | 3.8963 | 5.9192 | 8.4051 | 9.5448 | 9.5519 | 10.2358 | 9.8867 | 8.8824 | 9.2670 | 9.8226 | 9.7086 | 7.3387 | 6.0908 | 5.0044 | 3.5442 | 1.2796 | 0.0824 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.7396 | 1.0502 | 1.1926 | 1.1935 | 1.2789 | 1.2353 | 1.1098 | 1.1579 | 1.2273 | 1.2131 | 0.9169 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Canons Park | 2 | ID Factor | | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | |
| | | ID letter code | | O | O | O | O | N | M | L | L | L | L | M | L | L | L | O | O | O | O | O | O | O | |
| | | Nax per hr | | 0.0000 | 0.0427 | 1.6810 | 3.8963 | 5.9192 | 8.4051 | 9.5448 | 9.5519 | 10.2358 | 9.8867 | 8.8824 | 9.2670 | 9.8226 | 9.7086 | 7.3387 | 6.0908 | 5.0044 | 3.5442 | 1.2796 | 0.0824 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.7396 | 1.0502 | 1.1926 | 1.1935 | 1.2789 | 1.2353 | 1.1098 | 1.1579 | 1.2273 | 1.2131 | 0.9169 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Queensbury | 2 | ID Factor | | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | |
| | | ID letter code | | O | O | O | O | N | M | L | L | L | L | M | L | L | L | O | O | O | O | O | O | O | |
| | | Nax per hr | | 0.0000 | 0.0427 | 1.6810 | 3.8963 | 5.9192 | 8.4051 | 9.5448 | 9.5519 | 10.2358 | 9.8867 | 8.8824 | 9.2670 | 9.8226 | 9.7086 | 7.3387 | 6.0908 | 5.0044 | 3.5442 | 1.2796 | 0.0824 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.7396 | 1.0502 | 1.1926 | 1.1935 | 1.2789 | 1.2353 | 1.1098 | 1.1579 | 1.2273 | 1.2131 | 0.9169 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Kingsbury | 2 | ID Factor | | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | 1.1333 | |
| | | ID letter code | | O | O | O | O | N | L | L | L | L | L | L | L | L | L | O | O | O | O | O | O | O | |
| | | Nax per hr | | 0.0000 | 0.0427 | 1.6810 | 3.8963 | 5.9192 | 8.4051 | 9.5448 | 9.5519 | 10.2358 | 9.8867 | 8.8824 | 9.2670 | 9.8226 | 9.7086 | 7.3387 | 6.0908 | 5.0044 | 3.5442 | 1.2796 | 0.0824 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.7396 | 1.0502 | 1.1926 | 1.1935 | 1.2789 | 1.2353 | 1.1098 | 1.1579 | 1.2273 | 1.2131 | 0.9169 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Wembley Park | 4 | ID Factor | | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | |
| | | ID letter code | | O | O | O | M | L | J | J | J | J | J | J | J | J | J | J | J | J | J | J | J | J | |
| | | Nax per hr | | 0.0000 | 0.0657 | 2.5831 | 5.9871 | 9.0956 | 12.9156 | 14.6668 | 14.6778 | 15.7285 | 15.1922 | 13.6489 | 14.2399 | 15.0937 | 14.9186 | 11.2768 | 9.3592 | 7.6898 | 5.4462 | 1.9663 | 0.1265 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.3228 | 0.7481 | 6.8938 | 9.7891 | 11.1164 | 13.3002 | 14.2523 | 13.7663 | 12.3679 | 12.9034 | 13.6770 | 13.5184 | 10.2184 | 4.1494 | 3.4093 | 2.4145 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Neasden | 3 | ID Factor | | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | |
| | | ID letter code | | O | O | O | N | L | K | K | K | J | J | K | K | K | K | L | N | O | O | O | O | O | |
| | | Nax per hr | | 0.0000 | 0.0455 | 1.7891 | 4.1468 | 6.2998 | 8.9456 | 10.1585 | 10.1661 | 10.8939 | 10.5224 | 9.4535 | 9.8629 | 10.4542 | 10.3329 | 7.8106 | 6.4824 | 5.3261 | 3.7721 | 1.3619 | 0.0876 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.2235 | 0.5181 | 4.7748 | 6.7801 | 7.6995 | 9.2120 | 9.8714 | 9.5348 | 8.5662 | 8.9372 | 9.4730 | 9.3631 | 7.0775 | 2.8739 | 2.3613 | 1.6724 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Dollis Hill | 2 | ID Factor | | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | |
| | | ID letter code | | O | O | O | N | L | K | K | K | J | J | K | K | K | J | M | N | O | O | O | O | O | |
| | | Nax per hr | | 0.0000 | 0.0455 | 1.7891 | 4.1468 | 6.2998 | 8.9456 | 10.1585 | 10.1661 | 10.8939 | 10.5224 | 9.4535 | 9.8629 | 10.4542 | 10.3329 | 7.8106 | 6.4824 | 5.3261 | 3.7721 | 1.3619 | 0.0876 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.2235 | 0.5181 | 4.7748 | 6.7801 | 7.6995 | 9.2120 | 9.8714 | 9.5348 | 8.5662 | 8.9372 | 9.4730 | 9.3631 | 7.0775 | 2.8739 | 2.3613 | 1.6724 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Willesden Green | 3 | ID Factor | | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | |
| | | ID letter code | | O | O | O | N | K | I | H | H | H | H | H | H | H | H | H | J | L | L | M | O | O | |
| | | Nax per hr | | 0.0000 | 0.0757 | 2.9768 | 6.8995 | 10.4817 | 14.8838 | 16.9019 | 16.9146 | 18.1254 | 17.5074 | 15.7289 | 16.4100 | 17.3939 | 17.1921 | 12.9953 | 10.7855 | 8.8617 | 6.2761 | 2.2659 | 0.1458 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.3719 | 0.8621 | 7.9444 | 11.2809 | 12.8105 | 15.3270 | 16.4243 | 15.8642 | 14.2526 | 14.8698 | 15.7613 | 15.5785 | 11.7756 | 4.7817 | 3.9288 | 2.7825 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Kilburn | 2 | ID Factor | | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | |
| | | ID letter code | | O | O | O | N | K | I | H | H | H | H | H | H | H | H | H | J | L | L | M | O | O | |
| | | Nax per hr | | 0.0000 | 0.0639 | 2.5153 | 5.8299 | 8.8568 | 12.5764 | 14.2817 | 14.2924 | 15.3155 | 14.7933 | 13.2905 | 13.8661 | 14.6974 | 14.5269 | 10.9807 | 9.1135 | 7.4879 | 5.3032 | 1.9146 | 0.1232 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.3143 | 0.7284 | 6.7128 | 9.5321 | 10.8246 | 12.9509 | 13.8781 | 13.4049 | 12.0431 | 12.5646 | 13.3179 | 13.1634 | 9.9501 | 4.0404 | 3.3197 | 2.3511 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| West Hampstead | 2 | ID Factor | | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | |
| | | ID letter code | | O | O | O | N | K | J | H | H | H | H | H | H | H | H | H | J | L | L | M | O | O | |
| | | Nax per hr | | 0.0000 | 0.0639 | 2.5153 | 5.8299 | 8.8568 | 12.5764 | 14.2817 | 14.2924 | 15.3155 | 14.7933 | 13.2905 | 13.8661 | 14.6974 | 14.5269 | 10.9807 | 9.1135 | 7.4879 | 5.3032 | 1.9146 | 0.1232 | 0.0000 | 0.0000 |
| | | Steady State Nax | | 0.0000 | 0.0000 | 0.3143 | 0.7284 | 6.7128 | 9.5321 | 10.8246 | 12.9509 | 13.8781 | 13.4049 | 12.0431 | 12.5646 | 13.3179 | 13.1634 | 9.9501 | 4.0404 | 3.3197 | 2.3511 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Finchley Road | 3 | ID Factor | | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | |
| | | ID letter code | | O | O | O | N | K | J | H | H | H | H | H | H | H | H | H | J | L | L | M | O | O | |
| | | Nax per hr | | 0.0000 | 0.0839 | 3.3000 | 7.6488 | 11.6201 | 16.5002 | 18.7375 | 18.7515 | 20.0939 | 19.4 | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|------|------------------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|--------|--------|--------|
| | | 2-20 | ID letter code | O | O | O | L | K | J | I | I | I | I | I | I | I | I | J | K | L | M | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0448 | 1.7624 | 4.0850 | 6.2059 | 8.8122 | 10.0071 | 10.0146 | 10.7315 | 10.3656 | 9.3126 | 9.7159 | 10.2984 | 10.1789 | 7.6941 | 6.3858 | 5.2468 | 3.7159 | 1.3416 | 0.0863 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.2202 | 0.5104 | 4.7036 | 6.6791 | 7.5847 | 9.0747 | 9.7243 | 9.3927 | 8.4386 | 8.8040 | 9.3318 | 9.2235 | 6.9720 | 2.8311 | 2.3261 | 1.6474 | 0.0000 | 0.0000 | |
| Waterloo | | 5 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | M | K | J | J | J | I | I | J | J | J | I | J | K | L | M | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0670 | 2.6368 | 6.1116 | 9.2847 | 13.1841 | 14.9717 | 14.9829 | 16.0555 | 15.5080 | 13.9327 | 14.5360 | 15.4075 | 15.2287 | 11.5113 | 9.5538 | 7.8497 | 5.5594 | 2.0071 | 0.1292 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.3295 | 0.7636 | 7.0372 | 9.9926 | 11.3475 | 13.5767 | 14.5486 | 14.0525 | 12.6250 | 13.1717 | 13.9614 | 13.7994 | 10.4309 | 4.2356 | 3.4801 | 2.4647 | 0.0000 | 0.0000 | |
| Southwark | | 2 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | M | K | J | J | J | I | I | J | J | J | J | J | K | L | M | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0463 | 1.8210 | 4.2207 | 6.4120 | 9.1049 | 10.3394 | 10.3472 | 11.0879 | 10.7098 | 9.6219 | 10.0385 | 10.6404 | 10.5169 | 7.9496 | 6.5978 | 5.4210 | 3.8393 | 1.3861 | 0.0892 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.2275 | 0.5274 | 4.8599 | 6.9009 | 7.8366 | 9.3760 | 10.0472 | 9.7046 | 8.7188 | 9.0963 | 9.6417 | 9.5298 | 7.2035 | 2.9251 | 2.4034 | 1.7021 | 0.0000 | 0.0000 | |
| London Bridge | | 4 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | L | K | J | I | I | I | I | J | J | J | I | J | K | L | L | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0463 | 1.8210 | 4.2207 | 6.4120 | 9.1049 | 10.3394 | 10.3472 | 11.0879 | 10.7098 | 9.6219 | 10.0385 | 10.6404 | 10.5169 | 7.9496 | 6.5978 | 5.4210 | 3.8393 | 1.3861 | 0.0892 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.2275 | 0.5274 | 4.8599 | 6.9009 | 7.8366 | 9.3760 | 10.0472 | 9.7046 | 8.7188 | 9.0963 | 9.6417 | 9.5298 | 7.2035 | 2.9251 | 2.4034 | 1.7021 | 0.0000 | 0.0000 | |
| Bermondsey | | 2 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | M | L | J | J | J | J | J | J | J | J | J | J | L | L | M | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0463 | 1.8210 | 4.2207 | 6.4120 | 9.1049 | 10.3394 | 10.3472 | 11.0879 | 10.7098 | 9.6219 | 10.0385 | 10.6404 | 10.5169 | 7.9496 | 6.5978 | 5.4210 | 3.8393 | 1.3861 | 0.0892 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.2275 | 0.5274 | 4.8599 | 6.9009 | 7.8366 | 9.3760 | 10.0472 | 9.7046 | 8.7188 | 9.0963 | 9.6417 | 9.5298 | 7.2035 | 2.9251 | 2.4034 | 1.7021 | 0.0000 | 0.0000 | |
| Canada Water | | 4 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | M | L | K | J | J | J | J | J | J | J | J | J | K | L | M | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0463 | 1.8210 | 4.2207 | 6.4120 | 9.1049 | 10.3394 | 10.3472 | 11.0879 | 10.7098 | 9.6219 | 10.0385 | 10.6404 | 10.5169 | 7.9496 | 6.5978 | 5.4210 | 3.8393 | 1.3861 | 0.0892 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.2275 | 0.5274 | 4.8599 | 6.9009 | 7.8366 | 9.3760 | 10.0472 | 9.7046 | 8.7188 | 9.0963 | 9.6417 | 9.5298 | 7.2035 | 2.9251 | 2.4034 | 1.7021 | 0.0000 | 0.0000 | |
| Canary Wharf (Jubilee) | | 2 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | N | L | K | K | K | J | J | K | K | J | J | K | L | M | N | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0463 | 1.8210 | 4.2207 | 6.4120 | 9.1049 | 10.3394 | 10.3472 | 11.0879 | 10.7098 | 9.6219 | 10.0385 | 10.6404 | 10.5169 | 7.9496 | 6.5978 | 5.4210 | 3.8393 | 1.3861 | 0.0892 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.2275 | 0.5274 | 4.8599 | 6.9009 | 7.8366 | 9.3760 | 10.0472 | 9.7046 | 8.7188 | 9.0963 | 9.6417 | 9.5298 | 7.2035 | 2.9251 | 2.4034 | 1.7021 | 0.0000 | 0.0000 | |
| North Greenwich | | 3 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | N | L | K | K | K | J | K | K | K | K | K | L | M | M | N | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0613 | 2.4126 | 5.5920 | 8.4954 | 12.0632 | 13.6989 | 13.7092 | 14.6906 | 14.1896 | 12.7482 | 13.3002 | 14.0976 | 13.9341 | 10.5326 | 8.7416 | 7.1824 | 5.0868 | 1.8365 | 0.1182 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.3015 | 0.6987 | 6.4389 | 9.1431 | 10.3828 | 12.4225 | 13.3118 | 12.8579 | 11.5517 | 12.0519 | 12.7745 | 12.6263 | 9.5441 | 3.8756 | 3.1843 | 2.2552 | 0.0000 | 0.0000 | |
| Canning Town | | 2 | ID Factor | 1.0000 | 1.0000 | 1.1333 | 1.1333 | 1.8889 | 1.8889 | 1.8889 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 2.8333 | 1.4167 | 1.4167 | 1.4167 | 1.0000 |
| | | 2-20 | ID letter code | O | O | O | N | L | K | K | K | K | K | K | K | K | K | L | M | N | N | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0325 | 1.2777 | 2.9615 | 4.4990 | 6.3885 | 7.2548 | 7.2602 | 7.7799 | 7.5146 | 6.7513 | 7.0436 | 7.4659 | 7.3793 | 5.5779 | 4.6294 | 3.8037 | 2.6939 | 0.9726 | 0.0626 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.1596 | 0.3700 | 3.4100 | 4.8421 | 5.4986 | 6.5788 | 7.0497 | 6.8093 | 6.1176 | 6.3825 | 6.7652 | 6.6867 | 5.0544 | 2.0524 | 1.6863 | 1.1943 | 0.0000 | 0.0000 | |
| West Ham | | 4 | ID Factor | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | 1.0000 | |
| | | 2-20 | ID letter code | O | O | O | N | L | K | K | K | K | K | K | K | K | K | L | M | N | N | O | O | |
| | | >20 | Nax per hr | 0.0000 | 0.0325 | 1.2777 | 2.9615 | 4.4990 | 6.3885 | 7.2548 | 7.2602 | 7.7799 | 7.5146 | 6.7513 | 7.0436 | 7.4659 | 7.3793 | 5.5779 | 4.6294 | 3.8037 | 2.6939 | 0.9726 | 0.0626 | |
| | | | Steady State Nax | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |