

Nachs per Hour during Travelator Failure for Selected Stations																							
(units are in NACHS = 100 Customer hours)																							
Station Name	Fail Type	Trav Nos	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	All Day
(F=partial, O=total)			06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	Total	
WATERLOO	F	1 2	0.0003	0.0027	0.0287	0.0765	0.0392	0.0197	0.0143	0.0150	0.0180	0.0173	0.0184	0.0410	0.0848	0.0783	0.0311	0.0155	0.0106	0.0109	0.0096	0.0008	0.5327
WATERLOO	O	1 2	0.0004	0.0034	0.0353	0.0943	0.0484	0.0243	0.0176	0.0185	0.0222	0.0214	0.0227	0.0505	0.1046	0.0965	0.0384	0.0191	0.0130	0.0135	0.0119	0.0009	0.6569
WATERLOO	FF	1 2	0.0008	0.0074	0.0596	0.1591	0.0816	0.0536	0.0388	0.0409	0.0490	0.0473	0.0501	0.0702	0.1452	0.1340	0.0528	0.0263	0.0179	0.0185	0.0163	0.0013	1.0707
WATERLOO	OF	1 2	0.0009	0.0081	0.0662	0.1769	0.0907	0.0582	0.0421	0.0444	0.0532	0.0513	0.0544	0.0797	0.1649	0.1522	0.0600	0.0299	0.0204	0.0211	0.0186	0.0015	1.1947
WATERLOO	OO	1 2	0.0010	0.0092	0.0734	0.1961	0.1005	0.0661	0.0479	0.0504	0.0604	0.0582	0.0618	0.0865	0.1789	0.1652	0.0650	0.0324	0.0221	0.0228	0.0201	0.0016	1.3196