

Nachs per Hour during Travelator Failure for Selected Stations																							
(units are in NACHS = 100 Customer hours)																							
Station Name	Fail Type	Trav Nos	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	All Day
(F=partial, O=total)			06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	01:00	Total
WATERLOO	F	1 2	0.0000	0.0000	0.0013	0.0035	0.0056	0.0088	0.0093	0.0112	0.0104	0.0104	0.0101	0.0127	0.0151	0.0145	0.0185	0.0117	0.0096	0.0085	0.0025	0.0000	0.1637
WATERLOO	O	1 2	0.0000	0.0000	0.0016	0.0043	0.0069	0.0108	0.0115	0.0138	0.0129	0.0128	0.0125	0.0157	0.0186	0.0179	0.0228	0.0145	0.0119	0.0105	0.0031	0.0000	0.2021
WATERLOO	FF	1 2	0.0000	0.0000	0.0035	0.0094	0.0152	0.0239	0.0253	0.0304	0.0284	0.0282	0.0276	0.0346	0.0412	0.0396	0.0314	0.0199	0.0163	0.0144	0.0042	0.0000	0.3935
WATERLOO	OF	1 2	0.0000	0.0000	0.0038	0.0102	0.0165	0.0259	0.0275	0.0330	0.0309	0.0306	0.0300	0.0376	0.0447	0.0430	0.0357	0.0226	0.0186	0.0164	0.0048	0.0001	0.4319
WATERLOO	OO	1 2	0.0000	0.0000	0.0043	0.0116	0.0187	0.0294	0.0312	0.0375	0.0350	0.0348	0.0340	0.0427	0.0508	0.0488	0.0387	0.0245	0.0201	0.0177	0.0052	0.0001	0.4851